

بسم الله الرحمن الرحيم

Embassy of the Republic of Iraq

Tokyo

Commercial Attaché

سفارة جمهورية العراق

طوكيو

الملحقية التجارية



Ref : 277
Date : 1/11/2016

To: JCCME/Mr.Kaoru Nakajima, Deputy Managing Director,
Chief Representative, Iraq Desk of Japan.
JETRO/ Mr.Hikaru Mizuno, Strategic Coordination Office(Middle East & Africa).

SUB: Advertisement of Tender No.E2G-039

The Embassy of the Republic of Iraq, Commercial Attaché would like to present its compliment to your esteemed Organization, and for enhancing the commercial & economic relations between our two countries.

We enclosed here with the advertisement form of the Ministry of Electricity (MOE) / General Directorate of Electricity Production (GEEP) to invite all the specialized Japanese companies to participate in above mentioned tender according to the specifications attached.

The Closing Date will be on 4/12/2016

Your prompt positive response will remain.

Best Regards,



Kawthar Farhan Rasheed
Assistant Commercial Attaché

1/11/2016

نسخة منه إلى:
[دائرة العلاقات الاقتصادية الخارجية / قسم الدراسات و الترجمة كتابكم العدد د/٢/١٠٠٦٠ في ٣٠/١٠/٢٠١٦]
- للتفضل بالاطلاع ... مع التقدير .

E2G-039

ITEM	SPECIFICATION	Q.
1	Startup Solenoid Valve as following :- KKS: --MBN12AA001A Company : Müller-coax ; Germany Type: MK 15 Function: NC 14910C23/8DC220A 100 537155 G:3/8 220VDC PN: 0-----100 bar.220426-01 Voltage:220 v dc Temperature : 60 C°	5
2	Fuel Oil Solenoid Relief Valve (with limit switch) as following :- KKS:--MBN13AA501 COMPANY : Müller-coax ; Germany Type : FK 15 NO 1E 15910062637DC220A 100 503443 60 C°	5
	PN:100 220Vdc 0....100 bar 219659-03	
3	Feeling solenoid valve (with limit switch) as following :- KKS:-- MBN21AA002 Company : Müller-coax ; Germany Type: MK 15 NC 2E 14910C1-1/2DC220A 100 523181 Heizol / Napht 80 C° G ½ 220VDC 0.....100 bar 228662-01	5
4	Drain solenoid valve (with limit switch) as following :- KKS:--MBA18AA001&2 COMPANY : Müller-coax ; Germany Type : MK 25 DR NO 1E 34250410/0AC220A 40 510038 Heizol/Luft 100 C° G 10/0 220AC 0.....40 BAR 219659-01	10

(1-2)

5	<p>Natural gas venting valve (with limit switch) as following:- KKS:--MBP14AA501 COMPANY : Müller-coax ; Germany Type : MK 15 NC 2E 14910C1 1/2DC220A 100 523181 Heizol/Napht 80 C° G ½ 220VDC 0....100BAR 228662-01</p>	5
6	<p>Leakage oil solenoid valve (with limit switch) as following :- KKS :--MBN23AA501 COMPANY : Müller-coax ; Germany Type : MK 15 NC 2E (with limit switch) 1415C1 1/2DC220A 40 503506 Heizol/EI 55 C° G ½ 220VDC 0....40 bar 219659-01</p>	5
	<p>COMPANY : Müller-coax ; Germany</p>	
7	<p>FK 15 NO 2E (with limit switch) 1515042637DC220A 64 519323 Erdgas / Stickstoff PN 100 220VDC 0....64bar 23476-01 COMPANY : Müller-coax ; Germany</p>	5
8	<p>Drain solenoid valve (with limit switch) as following:- KKS -MBA18AA003 COMPANY : Müller-coax ; Germany Type : FK 25 NC 1E 15 25C42635AC230A 40 515259 Heizol/luft 100 C° PN 40 230vac 0—40 bar 219659-02</p>	5

جدول معايير ترجيح العطاءات

اسم الطلب رقم الطلب خلاصة المواد كاهن زهرمانات لولبية للوهجان (٤٥٦/٤٥٦)

تاريخ الغلق الكلفة التخمينية --٤٥٦ الفاروق / ناقصة دعوة مباشرة (شركة)

ت	ضوابط ومعايير الترويج الأمثل لمعايير العطاءات	النسبة المئوية للمعيار حسب طبيعة وأهمية المواد	النسبة المئوية المتحققه في عطاءات الشركات المتنافسة						الملاحظات
١	المواصفات الفنية	٤٠٪							
٢	خدمات ما بعد البيع	١٠٪							
٣	الاعمال المماثلة الصادرة والزيادة من قبل الجهات المختصة								
٤	الاعمال المنجزة ضمن الاختصاص								
٥	حجم الإيرادات الأرباح خلال الثلاث سنوات الأخيرة								
٦	نوع البيع التجري واسلوب التجهيز								
٧	مكان الاستلام للمواد المجهزة	١٠٪							
٨	المنشأ	٢٠٪							
٩	كافة مواد التشغيل والمواد الاحتياطية للعمل التشغيلي للسلع	١٠٪							
١٠	المجموع	١٠٠٪							

NCA